

Order data on page 17

OKW
 GEHÄUSE
 SYSTEME


PRACTICAL MOBILE CASE DESIGNS



THE PRODUCT

The new MINITEC cases convince their users thanks to their mini-dimensions and maxi-benefits.

Whether round your neck or round your wrist, MINITEC cases are your loyal companions and are always within easy reach. They are so small and light that they also fit into any trouser pocket.

Whether with orange, green, blue or volcano-coloured intermediate rings or one coloured, these MINITEC cases are the right enclosures for today's personal electronics.

ENCLOSURE DESIGNS

You have a choice between an organic "MINITEC DROP" shape or a more technical "MINITEC EDGE" design.

Different intermediate rings and accessories offer the necessary flexibility for individual use.

Protection class IP 41

MINITEC DROP (sizes S and M) with intermediate ring in TPE.

Max. size of PCB (L x W in mm)


MINITEC DROP bottom part

S 35 x 27

M 51 x 38

L 57 x 45

(cutouts of pillars not taken into consideration)



detailed drawings see our website
www.okw.com



THE PERFECT COMPANION

Protection class IP 41

MINITEC EDGE (size M)
with intermediate ring in TPE.

Max. size of PCB (L x W in mm)


MINITEC EDGE bottom part

S 36 x 24

M 51 x 34

L 53 x 40

(cutouts of pillars not taken into consideration)



detailed drawings see our website
www.okw.com

YOUR ADVANTAGE

Modern, flat styling.

Easy to wear, e.g. round your neck,
or as a bracelet with wrist strap,
on a key ring or on a belt (EL).

TPE ring for a pleasant touch sensation
and as impact protection.

Also available in infra-red light-permeable material.

Recessed operating area for the
protection of the membrane keyboard
or decorative foil. MINITEC Edge also
without recessed operating area.


APPLICATIONS


Many different types of remote
control systems.

Specially made for clinic and social
fields as well as in the household
and in industry, e.g. emergency
systems, monitoring and alarm
equipment, radio remote control etc.





MINITEC DROP

Bottom and top part	Size	Outside in mm			Equipment (dim. in mm) max. dim. keypad	Part-No.		PMMA*2 black
		L	W	H		ABS (UL 94 HB) off-white	lava	
	S	51	32	13	38.60 x 18.15	B 90 02 907	B 90 02 908	B 90 02 906
	M	70	44	16	52.55 x 23.70	B 90 04 907	B 90 04 908	B 90 04 906
	L	84	53	19	63.95 x 30.10	B 90 06 907	B 90 06 908	B 90 06 906

Intermediate ring	Material	Colour	S			M			L		
			S	M	L	S	M	L	S	M	L
	TPE	lava, NCS S 7502-B	B 90 02 302	B 90 04 302	B 90 06 302	B 90 02 352					
	TPE	orange, NCS S 1070-Y40R	B 90 02 303	B 90 04 303	B 90 06 303	B 90 02 353					
	TPE	green, NCS S 1070-G60Y	B 90 02 304	B 90 04 304	B 90 06 304	B 90 02 354					
	TPE	blue, NCS S 1060-B	B 90 02 305	B 90 04 305	B 90 06 305	B 90 02 355					
	PMMA*2	black, RAL 9005	B 90 02 306	B 90 04 306	B 90 06 306	B 90 02 356					
	TPE	off-white, RAL 9002	B 90 02 307	B 90 04 307	B 90 06 307	B 90 02 357					
	TPE	volcano, NCS S 5502-G	B 90 02 308	B 90 04 308	B 90 06 308	B 90 02 358					
	ABS	black, RAL 9005	B 90 02 309	B 90 04 309	B 90 06 309	B 90 02 359					

MINITEC EGDE

Bottom and top part	Size	Outside dim. in mm			Equipment (dim. in mm) max. dim. keypad	Part-No.		PMMA*2 black	
		L	W	H		ABS (UL 94 HB) off-white	lava		
	S	52	32	15	34.90 x 19.85	B 90 02 807	B 90 02 808	B 90 02 806	
		52	32	15	without recess	B 90 02 857	B 90 02 858	B 90 02 856	
	M	68	42	18	45.00 x 27.85	B 90 04 807	B 90 04 808	B 90 04 806	
		68	42	18	without recess	B 90 04 857	B 90 04 858	B 90 04 856	
	L	78	48	20	51.60 x 31.95	B 90 06 807	B 90 06 808	B 90 06 806	
		78	48	20	without recess	B 90 06 857	B 90 06 858	B 90 06 856	
		NEW	78	48	24	51.50 x 29.70	B 90 06 817	B 90 06 818	B 90 06 816
			78	48	26	51.50 x 29.70	B 90 06 827	B 90 06 828	B 90 06 826

Intermediate ring	Material	Colour	S			M			L		
			S	M	L	S	M	L	S	M	L
	TPE	lava	B 90 02 702	B 90 04 702	B 90 06 702	B 90 02 752	B 90 04 752	B 90 06 752	B 90 06 782		
	TPE	orange	B 90 02 703	B 90 04 703	B 90 06 703	B 90 02 753	B 90 04 753	B 90 06 753	B 90 06 783		
	TPE	green	B 90 02 704	B 90 04 704	B 90 06 704	B 90 02 754	B 90 04 754	B 90 06 754	B 90 06 784		
	TPE	blue	B 90 02 705	B 90 04 705	B 90 06 705	B 90 02 755	B 90 04 755	B 90 06 755	B 90 06 785		
	PMMA*2	black	B 90 02 706	B 90 04 706	B 90 06 706	B 90 02 756	B 90 04 756	B 90 06 756	B 90 06 786		
	TPE	off-white	B 90 02 707	B 90 04 707	B 90 06 707	B 90 02 757	B 90 04 757	B 90 06 757	B 90 06 787		
	TPE	volcano	B 90 02 708	B 90 04 708	B 90 06 708	B 90 02 758	B 90 04 758	B 90 06 758	B 90 06 788		
	ABS	black	B 90 02 709	B 90 04 709	B 90 06 709	B 90 02 759	B 90 04 759	B 90 06 759	B 90 06 789		

MINITEC ACCESSORIES

Article	For MINITEC	Version / Application	Part-No.
① Key ring	E (Edge) / D (Drop)	nickel-plated, ø 20.5 mm	A 91 64 001
② Carrying strap „Reflex“	E (Edge) / D (Drop)	silver/black with quick-action lock, approx. 860 mm long	B 91 00 022
③ Carrying strap „Woven“ NEW	E (Edge) / D (Drop)	black, with safety closure, approx. 900 mm long	B 91 00 053
④ Hand strap „Woven“	E (Edge) / D (Drop)	grey, with quick-action lock, approx. 200 mm long	B 91 00 044
⑤ Wrist strap	E (Edge, 2 strap loops)	black, elastic belt with velcro, approx. 280 mm long	B 91 00 033
⑥ Strap eyelet NEW	E (Edge size L)	ABS lava, for belts or belt webbing up to 34 x 4 mm, horizontally/vertically use, incl. screws for mounting	B 91 06 108



*1 To achieve one MINITEC, please order:
1 bottom and top part
1 intermediate ring
(assembly kit supplied with case)

2 cases made of PMMA (plexiglass) not comparable to cases made of ABS in terms of mechanical load-bearing capacity