

Handheld enclosures for measuring instruments

Tried and tested, simple and economic handheld plastic enclosures.

- · designed for mounting digital or analogue LCD display modules
- · accessory acrylic windows protect the display modules and are easily fitted with the self-adhesive foils
- battery compartments for C, AA and 9 V cells
- snap-in battery compartment lids for quick battery replacement
- versions with/without switch cap (type P)
- · raised front area on the bottom part to accommodate plugs
- tilt foot bar for ergonomic desktop applications
- top recess for mounting membrane keypads (types M, N)
- internal screw pillars for mounting PCBs





Applications and Examples

- Useful range of handheld cases for mounting digital and analogue instruments
- Ideal for housing measuring and control technology e.g. continuity checkers, volt meters, field intensity meters, digital thermometers, flow meters etc.



Dosemeter

Customising Options

What do you still need for your own very personal product? We can supply enclosures and tuning knobs with all necessary modifications for fitting your electronic components. Customising options for Hand-Held-Boxes



Special material

EMC shielding

Installation / Assembly of accessories



Select Versions



A9060007 HAND-HELD-BOX P, Vers. I ABS (UL 94 HB) off-white RAL 9002 145x80x36.5mm



A9060009 HAND-HELD-BOX P, Vers. I ABS (UL 94 HB) black RAL 9005 145x80x36.5mm



A9060017 HAND-HELD-BOX P, Vers. II ABS (UL 94 HB) off-white RAL 9002 145x80x36.5mm



A9060019 HAND-HELD-BOX P, Vers. II ABS (UL 94 HB) black RAL 9005 145x80x36.5mm



A9061017 HAND-HELD-BOX N, Vers. I ABS (UL 94 HB) off-white RAL 9002 180x100x44mm



A9062017 HAND-HELD-BOX M, Vers. I ABS (UL 94 HB) off-white RAL 9002 145x80x38.5mm



A9061019 HAND-HELD-BOX N, Vers. I ABS (UL 94 HB) black RAL 9005 180x100x44mm



A9061117 HAND-HELD-BOX N, Vers. II ABS (UL 94 HB) off-white RAL 9002 180x100x44mm



A9061119 HAND-HELD-BOX N, Vers. II ABS (UL 94 HB) black RAL 9005 180x100x44mm



A9062019 HAND-HELD-BOX M, Vers. I ABS (UL 94 HB) black RAL 9005 145x80x38.5mm



Accessory "battery"



A9160003 Plug-in contact, 1 x 9 V (PP3)

Accessory "protection"



A9190013 Set of battery clips, 4 x AA Steel nickel-plated



A9250250 Battery spacer PE foam 50x25x4mm



A9160002 Cover plug black RAL 9005



A9160004 Display window P Acrylic glass transparent 60x30x1mm



A9161005 Adhesive foil N



A9160005 Display window M Acrylic glass transparent 60x30x1mm



A9160006 Adhesive foil P/M



A9161004 Display window N Acrylic glass transparent 90x36x2mm

Accessory "carrying"



A9100002 Ring eyelet PA 6 volcano



Accessory "screws"



A0305031 Self-tapping screws 2.5 x 6 mm (PZ1)





A9160007 Switch cap ABS (UL 94 HB) off-white RAL 9002



A9250809 Tilt foot bar ABS (UL 94 HB) black RAL 9005



A0306031 Self-tapping screws 3 x 6 mm (PZ1)



A9160009 Switch cap PA (UL 94 HB) black RAL 9005



A9250817 Tilt foot bar ABS (UL 94 HB) off-white RAL 9002



A9210290 Anti-slide feet 9.5 x 3.8 mm transparent



A9250819 Tilt foot bar ABS (UL 94 HB) black RAL 9005



A9250807 Tilt foot bar ABS (UL 94 HB) off-white RAL 9002



A9361009 Tilt foot bar Steel chromed

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.